

# 9. STOCHASTIC INTEGRATION (RECAP).

TO DERIVE THE HSB EQUATION WE NEEDED

- TAYLOR EXPANSIONS
- CHAIN RULE.

WE RECAP THE SAME FOR STOCHASTIC INTEGRAL

# STOCHASTIC INTEGRAL FOR BROWNIAN MOTION

INDEPENDENT, GAUSSIAN INCREMENTS, LINE VARIATION.

SLW.

$$\sum_{t \in \{0, \delta, \dots, T\}} (B_{t+\delta} - B_t) = B_T \quad \text{and} \quad \sum_{t \in \{0, \delta, \dots, T\}} (B_{t+\delta} - B_t)^2 \approx T$$

So

STOCHASTIC  
INTEGRAL

$$\sum_{t \in \{0, \delta, \dots, T\}} \sigma(X_t) (B_{t+\delta} - B_t) \approx \int_0^T \sigma(X_t) dB_t$$

$$\sum_{t \in \{0, \delta, \dots, T\}} \mu(X_t) (B_{t+\delta} - B_t)^2 \approx \int_0^T \mu(X_t) dt.$$

# STOCHASTIC DIFFERENTIAL EQUATIONS

DEFINE

$$X_{t+\delta} - X_t = \sigma(X_t)(B_{t+\delta} - B_t) + \mu(X_t)\delta, \quad t = 0, \delta, 2\delta, \dots$$

LET  $\delta \rightarrow 0$

$$X_T = X_0 + \int_0^T \sigma(X_t)dB_t + \int_0^T \mu(X_t)dt.$$

THIS GIVES US "TAYLOR" APPROXIMATIONS FOR S.D.E.s.

# ITÔ'S FORMULA. FOR OUR SDE FROM BEFORE:

$$\begin{aligned} & f(X_{t+\delta}) - f(X_t) \\ &= f(X_t + \sigma(X_t)(B_{t+\delta} - B_t) + \mu(X_t)\delta) - f(X_t) \\ &= f'(X_t) \{ \mu\delta + \sigma \cdot (B_{t+\delta} - B_t) \} + \frac{f''(X_t)}{2} \{ \mu\delta + \sigma \cdot (B_{t+\delta} - B_t) \}^2 + o(\delta) \\ &= f'(X_t) \{ \mu\delta + \sigma \cdot (B_{t+\delta} - B_t) \} + \frac{f''(X_t)}{2} \sigma^2 \cdot (B_{t+\delta} - B_t)^2 + o(\delta) \end{aligned}$$

So

$$f(X_{t+\delta}) - f(X_t) \approx \left[ f'(X_t)\mu(X_t) + \frac{\sigma(X_t)^2}{2} f''(X_t) \right] \delta + f'(X_t)\sigma(X_t) (B_{t+\delta} - B_t)$$

So

$$f(X_T) - f(X_0) = \int_0^T \left[ f'(X_t)\mu(X_t) + \frac{\sigma(X_t)^2}{2} f''(X_t) \right] dt + \int_0^T f'(X_t)\sigma(X_t) dB_t.$$

THIS GIVES US A "CHAIN RULE" FOR S.D.E.s